Rx Wireless Charging Coil Assembly

AWCCA-12R12H11-C01-B

Moisture Sensitivity Level (MSL) – MSL = 1

FEATURES:

- Wireless Charging Receiver single Coil (8µH)
- Outline Dimensions: 12.0mm x 12.0mm x 1.1mm
- For Rx applications
- High permeability shielding to protect sensitive electronics
- Durable construction
- RoHS / RoHS II Compliant & Pb free.

(Pb) RoHS / RoHS II Compliant

12 x 12 x 1.1 mm

> APPLICATIONS:

- Batteries and Battery Chargers
- Consumer Electronics
- Smart Watches
- Digital Cameras and Camcorders
- Wireless Charging Stations
- Mobile Phones & Charging Accessories
- Power Supplies
- Power Tool Manufacturers

DESCRIPTION & KEY ELECTRICAL SPECIFICATIONS

The AWCCA-12R12H11-C01-B is a Wireless Charging Coils that can be used in receive applications. This is a single coil design with inductance of 12μ H.

Maximum Ratings

Item	Value
Operating Temperature Range	T=-25°C ~ 85°C, RH≤ 70%.
Storage Temperature Range	-25°C~85°C, 90%RH (Max.)


Part Number	Inductance	DC Resistance	Q		
AWCCA-12R12H11-C01-B	$8\mu H{\pm}10\%$	520 mΩ max	10.1±30%		
Test Condition	100KHz / 1V	20±10°C	100KHz/1V		
Test Environment	Temperature: 20±10°C, RH: 65% ±20% Equipment: Chroma11025				

Test Conditions

Ambient Temperature: 20±10°C, RH: 65% ±20%.

If any doubt on the results, measurements/tests should be made within the following limits: Ambient Temperature: $20\pm2^{\circ}$ C, RH: $65\%\pm5\%$

PART IDENTIFICATION:





2 Faraday, Suite# B | Irvine | CA 92618 **Revised: 11.30.15** Ph. 949.546.8000 | Fax. 949.546.8001 Visit www.abracon.com for Terms and Conditions of Sale A D

OUTLINE DIMENSIONS:

Wave Soldering Profile: Not suitable for wave soldering

wer of Linking Togethe

Manual Soldering: 350°C Max, 3secs


Packaging: Box, 100pcs MOQ

ABRACON IS

ISO9001:2008

CERTIFIED

Item A	A B	С	D	E	F	G	
Spec 12=	=0.5 12±0.5	1.1REF	9.5 REF	5.0 REF	15±1	5±1]
Number of Coils	Wir	e	Number	ofTurns	In	ductance	
1	ø 0.17	nm	22 F			±10%μH	



(Pb) RoHS / RoHS II Compliant

Π



12 x 12 x 1.1 mm

12 x 12 x 1.1 mm

STORAGE AND OPERATIONAL CONDITION:

Storage condition

- Recommended storage conditions: -25°C~85°C, 70%RH (Max.)
- Service life: Within the limits of six month from being produced.
- The appearance and solder ability should be check, if product is not in expiry date.

Operation Conditions

- Use condition limit: $T=-25^{\circ}C \sim 85^{\circ}C$, $RH \le 90\%$.

NOTE:

i) The parts are manufactured in accordance with this specification. If other conditions and specifications which are required for this specification, please contact ABRACON for more information.

(Pb)

RoHS / RoHS II Compliant

ii) ABRACON will supply the parts in accordance with this specification unless we receive a written request to modify prior to an order placement.

iii) In no case shall ABRACON be liable for any product failure from in appropriate handling or operation of the item beyond the scope of this specification.

iv) When changing your production process, please notify ABRACON immediately.

v) ABRACON LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. ABRACON's products are not specifically designed for Military, Aviation, Aerospace, Lifedependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written conset and authorization from ABRACON LLC is required. Please contact ABRACON LLC for more information.

vi) All specifications and Marking will be subject to change without notice.

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization for Moracon Corporation is required. Please contact Abracon Corporation for more information.



