




9.52 mm



RECOMMENDED P.C.B LAYOUT TOP VIEW



1



2

Material:

- ●ltem(a)Terminal housing: Thermoplastic (UL 94V-0)
- Item () Clamp: Brass , Ni plated
- •ltem@Solder pin:Copper, Tin plated
- •ltem(d)Terminal screw: Steel Zinc plating"-"slot type

TUV Electrical cULus ● Voltage rating: 300VAC 750VAC • Current rating: 30A 41A • Wire range: $0.20-6.0 \, \text{mm}^2$

● Solid wire(AWG): 10-24 ● Stranded wire(AWG): 10-24

● Torque: 6.9 Lb-in 0.85 N.m

• Screw: M3.5

● Wire strip length: 6-7mm

Withstanding Voltage: 1.6KV

3.0KV

● Operating temperature: -40°C to +115°C


● Soldering temperature: 260°C±5°C/5 Sec

• Safety Approval: calus



| N = Number o | of poles |
|------------------------------|----------|
| Dim L=Nx9.52 Dim B=(N-1)x | =" |

| Poles | Tolerance |
|--------|-----------|
| 2-6p | ±0.20 |
| 7-11p | ±0.30 |
| 12-16p | ±0.40 |



| | mat'l. code | | | | | | | surface tolerance | | | | | | jecti | ion | product family | | | | | | | | |
|--|-------------|-----|------|------|-----------------|------|-----------------------|---------------------|----------|--------|--------------------|-------------------|-----------------|-------|-----|--------------------|--------|-------|-------|---------|-------|------|-------|----|
| | | | | | | | ASME Y14.5 ASME Y14.5 | | | | | | ľď | Ĺ - | 1 | TERMINAL BLOCK | | | | | | | | |
| | Itr | ecn | no | dr | dat | е | tolera | nces u | ınless | otherw | therwise specified | | | | | title | • | | | | | | | |
| | | | | | | | angl | eale | ed ŏl——— | | | X.±0.5 X.X±0.3 | | | _ | TERMINAL BLOCK | | | | | | | | |
| | | | | | | | X°± | 1•⊨ | _ | | | | sca | le | | RI | SING C | LAMP, | 35D W | IRE INI | ET,EN | DSTA | CKABL | .E |
| | | | | | | | dr EVIN ZHONG | | | 041 | 414 | | | | dwg | , no | | | s | heet | : 1 | of 1 | size | |
| | | | | | engr EVIN ZHONG | | | 041 | 414 | FCj | | | T7xx23x100J0G A | | | | | | | | ١,, | | | |
| | | | | | chr | KE F | ENG | 041 | 414 | | | | | | | | | | | | /\ 4 | | | |
| | | | | | | | appd | Sł | II JUI | N | 041414 | | | | | type CUSTOMER Draw | | | | | | wing | | |
| | she | et | revi | sion | Α | | | | | | | | | | | | | | | | | | | |
| | inde | ex | she | eet | 1 | | | | | | | | | | | | | | | | | | | |

В

form: A4mmXLc

T7xx23x100J0G

PDS: Rev :A 3

STATUS:Released

Printed: May 2842014

В

Α