

Protect It! 230V 6-Universal Outlet Surge Protector, 1.8M Cord, British Plug, 750 Joules

MODEL NUMBER: **SUPER6OMNIB**



Highlights

- 6 universal outlets
- 1.8 m power cord with British plug
- 750 joule rating
- Lighted on/off switch with integrated circuit breaker

Package Includes

- SUPER6OMNI B AC surge suppressor
- Instruction manual and warranty information

Description

Tripp Lite's Protect It!™ SUPER6OMNI B offers economical AC surge suppression for full protection of 220-250V workstations, desktop PCs, telecom systems and other sensitive electronics. Built-in AC surge suppression shields connected equipment from damage and performance problems due to transient surges. The SUPER6OMNI B offers 6 universal outlets and a 1.8 meter AC line cord with a British plug. AC suppression rated at 750 joules shields equipment from surges and line noise. Internal shutters also offer additional protection. Lighted on/off switch with integrated circuit breaker provides power control over connected equipment. Right-angle outlets keep connected cords from blocking adjacent outlets. Attractive light gray high-impact housing.

INPUT: 1.8 m AC line cord with British plug

OUTPUT: 6 universal receptacles

ELECTRICAL: 220-250V AC, 50/60Hz, 10A

FORMAT: Corded multi-outlet strip

SUPPRESSION: - AC: 750 joules

Features

- Protect It!™ SUPER6OMNI B offers economical AC surge suppression
- 750 joules AC surge suppression shields equipment from surges and line noise
- 6 universal outlets protect computers and peripherals
- Internal shutters provide additional safety
- 1.8 m AC line cord with British plug
- Built-in power switch and 10 amp circuit breaker offers power control and overload protection over all outlets
- Fail-safe thermal fusing protects against fire and other damage in the event of an extreme, extended overvoltage or surge condition
- Attractive light gray high-impact housing with keyhole mounting tabs allow versatile placement options
- Right-angle outlets keep connected cords from blocking adjacent outlets

Specifications



| OUTPUT | |
|--|--|
| Frequency Compatibility | 50 / 60 Hz |
| Output Receptacles | (6) Universal outlets |
| Circuit Breaker (amps) | 10 |
| Overload Protection | 10A resettable illuminated combo switch/circuit breaker |
| Outlet Orientation | right-angled |
| Right-Angle Outlets | No |
| INPUT | |
| Nominal Input Voltage(s) Supported | 230V AC |
| Recommended Electrical Service | 230V (220-250V) |
| Input Connection Type | British |
| Input Cord Length (ft.) | 6 |
| Input Cord Length (m) | 1.8 |
| Voltage Compatibility (VAC) | 220-250 |
| Maximum Surge Amps | 13500 |
| Right-Angle Plug | No |
| USER INTERFACE, ALERTS & CONTROLS | |
| Switches | Two position power switch |
| SURGE / NOISE SUPPRESSION | |
| AC Suppression Joule Rating | 750 |
| AC Suppression Response Time | < 1 ns |
| Protection Modes | Includes full normal mode (H-N) and common mode (N-G/H-G) line surge suppression |
| DATALINE SURGE SUPPRESSION | |
| Telephone/DSL Protection | No |
| Cable (Coax) Protection | No |
| Network (Ethernet) Protection | No |
| PHYSICAL | |
| Shipping Dimensions (hwd / in.) | 18.50 x 4.50 x 2.00 |
| Shipping Dimensions (hwd / cm) | 47.0 x 11.4 x 5.1 |
| Shipping Weight (lbs.) | 1.32 |
| Shipping Weight (kg) | 0.60 |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| | |
|--|---------------------------|
| Unit Dimensions (hwd / in.) | 15.50 x 2.50 x 1.25 |
| Unit Dimensions (hwd / cm) | 39.4 x 6.4 x 3.2 |
| Unit Weight (lbs.) | 1.0 |
| Unit Weight (kg) | 0.45 |
| Material of Construction | Plastic |
| Integrated Keyhole Mounting Tabs | Yes - slotted |
| Housing Color | Light Gray |
| Receptacle Color | Light Gray |
| Color (AC Line Cord) | light gray |
| Outlets Measurement (Center to Center) | 51mm |
| Keyhole Slot Mounting Measurement (Center to Center) | 219.5mm |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>