



PRODUCT DATASHEET

Lena series

last update 23/2/2014


DETAILS

| | |
|------------------------|-------------------|
| Product Number | CN12304_LENA-S-DL |
| Family | Lena |
| Type | RefPack |
| Color | metal |
| Diameter | 111 mm |
| Height | 85,6 mm |
| Style | round |
| Optic Material | PC |
| Holder Material | |
| Fastening | screw |
| Status | production ready |
| ROHS Compliant | Yes |
| Date Updated | 23/02/2014 |

OPTICAL PROPERTIES

| LED | Viewing Angle | Light Beam | Efficiency | cd/lm | Connector |
|---------|---------------|------------|------------|-------|-----------|
| BXRA RS | 20 deg | Spot | 80 % | - | - |





This drawing is our property. It can't be reproduced or communicated without our written agreement.



Ledil Oy
Salorankatu 10
FIN-24240 SALO
Finland

DRAWING TITLE

Datasheet Lena-BXRA-RS-assembly

| | | | | | | |
|-------------------|--------------------|--------------|--|----------------|--|--------------|
| DRAWN BY ah | DATE 10.1.2012 | SIZE A4 | | DRAWING NUMBER | | REV 2 |
| CHECKED BY pl | DATE 10.1.2012 | SCALE 1:2 | | WEIGHT (g) | | SHEET 1/1 |
| DESIGNED BY pl | DATE 01.04.2011 | | | | | |

D

A

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.